

Product datasheet

Specifications



substation - S20 - Sepam series 20

59620

Main

| | |
|---|---|
| Relay application | Substation |
| Range of product | Sepam series 20 |
| Device short name | S20 |
| Control and monitoring type | Circuit breaker/contactor control ANSI code: 94/69 (option) Latching/acknowledgement ANSI code: 86 Logic discrimination ANSI code: 68 (option) Switching of groups of settings Annunciation ANSI code: 30 |
| Metering type | Phase current I1, I2, I3 RMS, residual current I0 Demand current I1, I2, I3, peak demand current IM1, IM2, IM3 |
| Network and machine diagnosis type | Unbalance ratio/negative sequence current Ii Disturbance recording Tripping context |
| Switchgear diagnosis type | Cumulative breaking current Trip circuit supervision (option) Number of operations, operating time charging time (option) |

Complementary

| | |
|------------------------------------|---|
| Type of measurement | Current |
| Protection type | Recloser (4 cycles) ANSI code: 79 (option) Phase overcurrent ANSI code: 50/51 (4) Earth fault/sensitive earth fault ANSI code: 50N/51N (4) Earth fault/sensitive earth fault ANSI code: 50G/51G (4) Negative sequence/unbalance ANSI code: 46 (1) |
| Communication port protocol | Measurement readout (option) : Modbus Remote indication and time tagging of events (option) : Modbus Remote control orders (option) : Modbus Remote protection setting (option) : Modbus Transfer of disturbance recording data (option) : Modbus |
| Input output max capacity | 10 inputs + 8 outputs |
| Communication compatibility | IEC 60870-5-103 IEC 61850 DNP3 Modbus RTU |
| User machine interface type | Advanced Without Remote |

Packing Units

| | |
|-------------------------------------|--------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 0.1 cm |

Package 1 Width 0.1 cm

Package 1 Length 0.2 cm

Package 1 Weight 1.0 g

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.


Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Reach Free Of Svhc

 Mercury Free

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
